

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S10 6	0	PEER ADJ "To" adj peer near10 (UDP connectionless near10 protocol\$1) and @ad<"20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/27 17:19
S10 7	0	PEER ADJ "To" adj peer near10 (UDP connectionless) and @ad<"20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/27 17:19
S10 8	3	PEEr adj peer near10 (UDP connectionless) and @ad<"20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/27 17:20
S10 9	11	PEEr adj peer same (UDP connectionless) and @ad<"20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/27 17:25
S11 0	21	interconnect\$4 near10 server\$1 same (UDP connectionless) and @ad<"20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/27 17:22
S11 1	12	(segment\$6 fragment\$6) same ack same (UDP connectionless) and @ad<"20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/27 17:33
S11 2	22	duplicat\$4 near10 (segment\$1 packet\$1 fragment\$1) near10 (UDP connectionless) and @ad<"20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/27 17:39
S11 3	3	(retry retires) near10 (segment\$1 packet\$1 fragment\$1) near10 (UDP connectionless) and @ad<"20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/27 17:41
S11 4	0	(retry retires) near10 (segment\$1 packet\$1 fragment\$1) near10 (RTP) and @ad<"20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/27 17:40

EAST Search History

S11 5	0	(retry retires) near10 (segment\$1 packet\$1 fragment\$1) same (RTP) and @ad<"20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/27 17:40
S11 6	0	(retry retires) same (segment\$1 packet\$1 fragment\$1) same (RTP) and @ad<"20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/27 17:40
S11 7	34	(retry retires) same (UDP connectionless) and @ad<"20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/27 17:41